

HACKATHON

ADAPTATION TO CLIMATE CHANGE

Evidence-based Innovative Solutions for South Asian Cities

2025



Knowledge and Outreach Partners



Eco-Network| Bangladesh



Gross International Nature| Bhutan



Nepalese Youth for Climate Action| Nepal



Nepal Youth Council| Nepal





Young Leaders for Active Citizenship | India



YouthNet Global | Bangladesh



Youth 4 NDCs| Bangladesh



Youth Ki Awaaz | India



YUVA | India



YOUTH HACKATHON

ADAPTATION TO CLIMATE CHANGE

Evidence-based Innovative Solutions for South Asian Cities

2025





Acknowledgements

We sincerely thank all youth participants for their creativity, effort, and commitment in submitting solutions for the Youth for Climate Hackathon organized by ICLEI South Asia. Each entry reflects the innovative spirit and dedication of young changemakers working towards climate-resilient and sustainable cities. We also acknowledge the valuable support of jury members, partners and who made this initiative possible.

Design Contribution: Manasa Garikaparthi (ICLEI South Asia)

Disclaimer

The ideas, concepts, and solutions presented in this compilation are the original work of the respective participants. ICLEI South Asia has compiled these entries for documentation and knowledge-sharing purposes only and does not assume responsibility for the accuracy, feasibility, or implementation of the submissions. The views expressed herein are solely those of the participants and do not necessarily represent the views of ICLEI South Asia or its partners.

Copyright © ICLEI South Asia (2025)

Any reference to this document should be cited as: *ICLEI South Asia. (2025). Youth for Climate Hackathon: Adaptation to Climate Change – Evidence-based Innovative Solutions for South Asian Cities.*

Contact

ICLEI - Local Governments for Sustainability, South Asia

C-3 Lower Ground Floor, Green Park Extension, New Delhi - 110016, India

Tel: +91-11-4974 7200; Email: iclei-southasia@iclei.org


Table of Contents

Knowledge and Outreach Partners

| Foreword | |
|--------------------|--|
| The Hackathon Team | |
| Hackathon Process | |

2

| 03 | Webinars | 3 |
|------------|-----------------------------------|---|
| n 4 | Top 10 Shortlisted Poster Entries | |



01

02

Foreword





Emani KumarDeputy Secretary-General | ICLEI Global
Executive Director | ICLEI South Asia

It gives me great pleasure to present the shortlisted entries of the Youth for Climate Hackathon, a flagship initiative of ICLEI South Asia under the ARISE Cities Forum. Themed "Adaptation to Climate Change: Evidence-based Innovative Solutions for South Asian Cities," this hackathon is a testament to the creativity, determination, and leadership of young changemakers across the South Asia region.

As climate challenges intensify across the Global South, the ideas of youth are vital in shaping resilient, equitable, and sustainable urban futures. This hackathon provides a platform for young innovators to propose locally relevant, scalable, and impactful solutions to real-world urban climate challenges. The diversity of ideas presented here, ranging from eco-innovations and spatial interventions to toolkits, dashboards, and platforms, reflects the ingenuity of the next generation of climate leaders. We are particularly proud that this initiative not only sources solutions but also strengthens youth leadership for the future. The most promising ideas will be spotlighted at the ARISE Cities Forum 2025 ensuring that youth ideas from South Asia are heard at the highest levels of international climate dialogue.

On behalf of ICLEI South Asia, I extend my heartfelt appreciation to all the jury members, partners, mentors and participants who have contributed to making this initiative possible. Together, we are embedding youth leadership at the heart of climate action and creating pathways for sustainable, resilient, and inclusive urban futures. ICLEI South Asia is committed to carrying this momentum forward, continuing the Youth initiatives in the years to come and expanding this vibrant community of young climate leaders across the South Asia region.



The Hackathon Team

Final Jury Members

Aditi Agarwal | Dasra, India Bedoshruti Sadhukhan | ICLEI South Asia, India Dr. Monalisa Sen | ICLEI South Asia, India Lovelesh Sharma | National Institute of Urban Affairs (NIUA), India Roshni Nuggehalli | Yuva India

Partner-led Poster Evaluation Team

Binchy Choden Jayasuriya | World Food Forum, Bhutan

Fyaj Khan Anam | Youth for NDCs, Bangladesh

Gurkirrat Sachdeva | Youth Ki Awaaz, India

Pema Choden | Gross International Nature, Bhutan

Sadia Jahan Rothi | Eco-Network Global, Bangladesh

Sohini Chakrabarti | Young Leaders for Active Citizenship (YLAC), India


Dechen, Dipak, Manju, Manasa, Satarupa | ICLEI South Asia

ICLEI South Asia Team

Sayli Mankikar | Associate Director, India
Dechen Wangmo | City Project Associate, Bhutan
Dipak Bhowmick | Technical Lead, Bangladesh
Manju Adhikari | Project Officer, Nepal
Manasa Garikaparthi | Senior Project Officer, India
Rick Sarkar | Communications Associate, India
Sankalita Dey | Communications Manager, India
Satarupa Roy | Senior Project Officer, India
Shinjini Saha | Knowledge Management Expert, India



Hackathon Process



Eligibility Criteria:

Age Group: Participants aged between 18 to 25 years.

Geographic Eligibility: Open to participants from South Asian countries (Bangladesh, Bhutan, India, Nepal, Sri Lanka)

Team Composition: 1 to 4 members

Evaluation Approach

- **1** Contextualise the Challenge: Understand the local climate realities of a city, its vulnerabilities, and urban dynamics.
- **Data-Driven Solutions:** Design adaptive interventions rooted in science, technology, and verifiable insights
- **Ensure Scalability & Feasibility:** Ideas that can grow, work in real-world settings, and be sustained locally.
- 4 Alignment with Hackathon Theme & SDGs: Contribution to climate resilience and sustainable urban development.
- **5 Uniqueness:** Innovative solution, impactful, and distinct.




Poster Presentation Template

Webinars

| Topic | Partner Country | Date |
|---|---|-------------------------------|
| 1. Orientation Webinar | ICLEI South Asia, India | 08 th July |
| | | |
| 2. Writing on Climate: How Every Story is a Climate Story | Youth Ki Awaaz, India | 3 rd August |
| | | |
| 3. Translating Climate Advocacy into Real Action: Stories from Nepalese Youth for Climate Action | Nepalese Youth for Climate Action, Nepal | 12 th August |
| | | |
| 4. Youth-Led Civic Action for Inclusive Climate Action: Tools for Changemaking | Young Leaders for Active Citizenship, India | 25 th August |
| | | |
| 5. Women Leading Ambitions: Bringing Meaningfulness in NDCs' Adaptation | Youth 4 NDCs, Bangladesh | 16 th September |
| | | |
| 6. Hack the Climate: Shape the Future | WFF Bhutan Chapter | 23 rd September |

+ Gross International Nature



Webinar Coordinators

- Dechen Wangmo
- Rick Sarkar
- Shinjini Saha













Poster Entries

- Geo tools enabled Localised spatial solutions
- Eco-products
- Climate Action Toolkit and Dashboard



Top 10 Shortlisted Teams

| Sr. No | Team Name | Participants | Country |
|--------|--------------------|--------------------------|------------|
| 1 👰 | SPAnoators | Tanishka Chhabra | India |
| | | Aarul Bhalekar | |
| | | Maitreyi C | |
| | | Gyanesh | |
| 2 2 | DHARA | Arigela Sravani | India |
| ~~~ | | Sai Charan | |
| 3 | ShudhdhoJol | Abhijit Dhali | Bangladesh |
| 4 | BlueRoots | Marium Khatun Zim | Bangladesh |
| 5 | ECOGRUB | Manish Kumar Chaurasiya | Nepal |
| | | Amit Gupta | |
| | | Abhinav Thapa | |
| | | Ashirwad Raj Jha | |
| 6 | Eco Sentinels | Md. Rezwanul Islam Shuvo | Bangladesh |
| | | Antora Das | |
| | | Shabbir Ahammad | |
| | | Sadia Ishrat Nisa | |
| 7 | Oasis | Nishitha I | India |
| | | Joy Sahaya Varshini | |
| | | Aruna J | |
| 8 | Palamou | Sakif Ahmmed | Bangladesh |
| | | Zarin Tasnim Ikra | |
| | | Momin Abdullah | |
| | | Nadia Binta Aziz | |
| 9 | Puri | Ajoy Ghosh | India |
| 10 | Zero-Waste Growers | Sayma Siddique Mitu | Bangladesh |
| | | MD. Abdun Nur | |

^{*}Please turn over to view the poster entries of the top 10 participants




SPAnovators HACKATHON 2025

Empowering Chennai Against Urban Warming and Coastal Threats: Innovative, Evidence-Led **Approaches**

Aim: To develop innovative, evidence-based adaptation strategies that reduce the impacts of urban heat and sea level rise in Chennai by identifying two climates and proposing nature-based and spatial/innovative planning solutions that align with existing coastal regulations and sustainability goals.

Why Chennai?



Aligned with Sustainable Development Goals (SDGs)

At COP26, India pledged 50% renewable energy by 2030 and net-zero emissions; 2070.

Urban Climate Dashboard or City's Digital Twin:

Chennai Metropolitan Development Authority (CMDA) and the Smart Cities Mission.

12mm

SDG 11 by promoting resilient, inclusive, and sustainable cities.

42°C

72%

Urban Climate Dashboard: Real-time GIS dashboard with data to target interventions and inform ward-level

Example: The city of Wellington in New Zealand has created a digital twin, a virtual model of the city, that can show decision-makers and residents how climate impacts like sea level rise will affect it - and crucially, how

The dashboard not only strengthens data-driven planning and infrastructure adaptation but also aligns with









without action.

pre-industrial levels

IMD + ISRO + UN-Habitat **Climate Change Risk Index**

IPCC AR6, 2022

IPCC AR6 Ch 10

IPCC AR6 Ch. 10

World Bank, 2021

Chennai has highest climate change risk index (0.76) among Tamil Nadu cities, indicating the vulnerable to climate impacts, risking heat deaths, blackouts, and displacement of over million by 2050 unchecked.

Chennal, a C40 city since 2016, aims to halve emissions by 2030 and achieve carbon neutrality by 2050.

Future Risks of Sea-Level Rise in Chennai

By 2100, Chennai could see a sea level rise of up to 77.88 cm

Urban Heat Island Effect

Permanent inundation of 71.6 sq. km, including 1.6 km of coastline and 16% of the GCC area

Temperature and Heat Waves By 2050, Chennai's maximum

temperatures are projected to rise by 0.9°C (2020s), 1.9°C (2050s), and 2.9°C (2080s) compared to the 1970-2000 baseline

Urban Heat Island: Chennai

(2016–2024)

• UHI intensity increased by

Built-up area expanded to 74%, reducing green buffers Green cover dropped below worsening

Hottest zones: Dump yards, informal settlements, and industrial pockets rose, increasing heat stress risks

temperatures

(2016)

Dashboard allows hyperlocal solutions to be


done at this level

with **Prioritizing**

areas for planning infrastructures with Climate-resilient planning

Sea Level Rise

Tide-gauge data show a 0.679 cm rise (0.066 cm yr⁻¹) along Chennai coast between 1987 and 2021-slower than Mumbai yet accelerating.



Global average temperature has already risen by 1.1°C above

due to heatwaves, floods, and sea level rise.

to extreme heatwaves every year.

South Asia is one of the world's most climate-vulnerable regions

At 2°C warming, 1.5 billion people in South Asia may be exposed

\$4 billion/year is the current economic loss due to urban flooding

Urban areas in India can experience 2–6°C higher surface temperatures than nearby rural areas due to the urban heat island

in Indian cities. Projected to rise to \$30 billion/year by 2070



a) Inundation area for projected SLR in Chennai, Tamil Nadu; The City could see a loss of 86 & 207 sq. km of area due to SLR by 2040-2100 respectively (under SS Projections). c) Furthermore, studies on coastal vulnerability have indicated that almost 32% of chennai's coast comes under high vulnerability.

caused major tree intensifying UHI **UHI Proposals**

Cyclone Vardah

retention

Nighttime

Green Corridor & Cool Roof Initiative: Identify built-up heat islands → apply cool roof coating program for informal housing Heat-Sensitive Urban Design: Incorporate microclimate-sensitive planning

i. Conventional Solutions





Sponge Cities

i. Traditional techniques of mitigating sea level rise are sea walls and barrier beaches to defend coasts from wave action, constructing living shorelines from natural materials to minimize erosion, slowing down land subsidence through the regulation of groundwater pumping, elevating roads to stay above anticipated flood levels, and the placement of stormwater pumps to drain hastily deposited water during high tide or heavy

ii. New methods like "sponges" & "guided flooding" approach to sea level rise work by integrating water into urban spaces instead of fighting it. For example, through the **Room for the River** program in rotterdam rowing course, parks and lakes are designed to act as flood reservoirs. This strategy is more effective and holistic than seawalls as unlike them it doesn't holistic than seawalls as unlike inadvertently floods neighboring areas

0

Location of parks and

| 2 Priority Intervention Asses | |
|---|-----|
| Nager nus/Inne 21 (alto (Pour Size High) Pour Index Severy Seet See High) | 9.2 |
| Machery recommend through the large place bears become second. Section (as) | 8.7 |
| Colombathum Applicates 1 I radio ("Bood Disk Heathers (Alex Hebre High | 7.9 |

nnai Clin











MITIGATING URBAN HEAT THROUGH COOLING STRATEGIES IN NEIGHBOURHOOD OF VIJAYAWADA

Why VIJAYAWADA?

Andhra Pradesh

Vijayawada, a rapidly urbanizing city in southern India, facing extreme heat events due to its tropical climate and urbanization, leading to elevated temperatures and risks to public health and infrastructure.



Alignment with SDGs

SDGs: SDG 11 (Sustainable Cities) and SDG 13 (Climate Action) by mitigating urban heat, enhancing resilience, improving energy efficiency and green urban spaces. It also supports SDGs 3, 7, 9, and 12 by promoting health, reducing energy demand, minimizing waste, and upgrading infrastructure













SITE location and Selected CLUSTER for study

Vijayawada has 111 notified slums, with around 26% of the city's population living in these areas. Ajit Singh Nagar is one of the rehabilitated low-income housing settlements.. JNNURM Housing Complex, which was part of a broader effort to improve living conditions for low-income families.





ENVI MET SIMULATION RESULTS

BASE CASE Simulation at 2PM (14:00)









Individual Scenarios Temperature Graphs at 2PM (14:00) for 4 Parameters



rature Graphs at 2PM (14:00) for 4 Para



IMPACT - Change in MICROCLIMATIC PARAMETERS compared to Base case

The bar graphs represent the variation in four key microclimatic parameters at 1.4m pedestrian height across both individual and combined retrofit strategies.

The values are compared against the base case (BC) and were simulated using ENVI-met for peak summer on May 15th 2024 at 2:00 PM.



 $\textbf{Individual:} \ \textit{Vegetation was most effective, reducing surface temperature and MRT through shading}$

Combined: \$1 (Cool Roof + Vegetation) performed best overall; \$5 showed poor results due to high

PROBLEM?

01 URBANIZATION: As cities continue to expand and urbanization intensifies, the transformation of natural landscapes into built environments has led to a range of environmental challenges.

02 URBAN HEAT ISLAND (UHI): One of the biggest challenges cities face is the Urban Heat Island (UHI) effect, where urban areas are much hotter than nearby rural areas. This happens because cities have more heat-absorbing materials like concrete and asphalt, Land Use Change, fewer plants, and a loi of human activities that generate heat.






FOCUS ON RETROFITING, WHY?

Existing Residential Buildings/Neighbourhoods

Existing residential buildings/Neighbourhoods are a major portion of the urban fabric, so they are a **critical focus for**retrofitting.

These buildings in various **Local Climate Zones (LCZs)**, play a

major role in shaping local microclimates.



SOLUTION: Micro Scale UHI FOCUS - Building Level, Streets and Neighbourhoods

Practical and Scalability Focus: Reflectivity and greenery are among the most effective and implementable strategies

Envi-MET 5 Software used to analyse the effects and impact of selected strategies.

Conditions Considered for ENVI MET Simulations

TIME FRAME FOR SIMULATION - 24 hours (a day) has been carried out for every iteration to maintain uniformity. Which corresponds to the date 15th MAY (peak summer month).

Evaluation Process: SIMPLE SCENARIOS - COMPREHENSIVE SCENARIOS

APPROACH used for analysis

- Base Case to benchmark the site
- Test each Individual Scenarios to understand the isolated impact of each strategy and Progress through the Combined Scenarios




Parameters Considered for Simulations to Analyze

:limatic: Air Temperature (Ta), Surface Temperature (Ts), Relative Humidity (RH), Mean Radiant Temperature (MRT, Thermal Comfort: PET (Physiological Equivalent Temperature

Strategies EFFECTIVENESS based on Microclimatic Para

| Strategy Effectiven | | Conclusion |
|--------------------------------|--|--|
| Cool Roof (CR) | | Minor cooling; limited MRT benefit in narrow streets |
| Green Roof (GR) | | Helps roof insulation; minimal impact on street-level microclimate |
| High Reflective Material (HRM) | | Increases MRT due to canyon reflections |
| Vegetation (VG) | | Best performer improves all parameters |
| \$1 (CR + VG) | | Balanced and effective; combines surface cooling and vegetation |
| \$2 (GR + VG) | | MRT and RH improvements; strong overall strategy |
| S4 (GR + HRM + VG) | | Effective for surface temp, but MRT rise requires caution |
| S5 (CR + HRM + VG) | | MRT and RH issues; HRM offsets vegetation benefit |

Change in PET Compared to Base Case at Pedestrian Level (1.4m)



Higher PET indicates greater thermal stress, while alues suggest improved them

All strategies show a Negative PET value, meaning none fully reduce PET below the base case, but the degree of increase varies.

\$1, VG, and \$2 show the lowest increases, indicating better thermal comfort, likely due to the cooling effects of vegetation and shade.

base case. The dense built form and limited ventilation restricted the effectiveness of passive cooling. C). Highly reflective strategies (HRM, S5) significantly increased heat stress, underlining the importance of shade and vegetative cover in compact zones.

∎TEAM *Dhara*







ShudhdhoJol: Smart Water Access for Climate-Resilient Coastal Bangladesh

Problem Statement

Coastal communities in Bangladesh face a growing water crisis driven by saltwater intrusion, brackish contamination and recurring climate disasters. Existing technologies, like Pond Sand Filters, are often ineffective in high-salinity areas, while off-grid regions lack the infrastructure and electricity needed for modern water systems. Most families cannot afford high-cost RO units and are forced to rely on unsafe sources. Furthermore, policy-level support is limited, localized R&D is insufficient and coordination among government, NGOs and communities remains weak—leaving millions without reliable access to clean water.

Proposed Solution

ShudhdhoJol introduces a decentralized, climate-smart water system that combines two water sources and a community-driven incentive platform to ensure safe, year-round access to clean water in off-grid, coastal or disaster-prone areas.

1. ShudhdhoJol Tank

A pedal-powered desalination unit operated by trained local youth or women (Jol Pilots) that transforms brackish or saline water into clean drinking water using RO membranes—entirely off-grid and low-cost. Built from recycled bicycles, each unit generates 30–50 liters/day, stored in community tanks for distribution.




Water delivery and pilot earnings are tracked via a QR/appbased system, with community scheduling supported through SMS. The model creates local livelihoods while ensuring water access during dry seasons or post-disasters.

2. MeghDhara Tank

A smart rainwater harvesting system that collects rooftop rainwater into low-cost at household or school level. Equipped with IoT water-level sensors, it monitors tank volume, detects leaks and tracks daily usage.

Water undergoes basic sedimentation and ceramic filtration, ensuring safe quality for non-potable or limited potable uses.

SMS/App alerts notify users when tanks are full, low, or leaking.




3. Jol Rewards Platform

A gamified mobile app + manual logbook hybrid system that rewards actions supporting clean water access and sustainability. Earn Jol Points (also called Water Taka) by engaging in meaningful water-related behaviors.

| Action | Points | Redeem Jol Points For: •Soap, hygiene kits |
|--------------------------------------|---|--|
| Pedaling the RO bike | +10 pts per 10L of clean water produced | School supplies Water credit or discounts at local shops |
| Using less than average water/month | +10 pts | Community Role: • Youth Volunteers: Assist with |
| Hosting cleanups or awareness events | +10 pts | logging activities for non-app users. Local Shops: Act as Redemption Hubs for Jol Points. Schools/Clubs: Use |
| Reporting leaks or performing audits | +10 pts | Leaderboards to foster healthy competition, pride, and awareness. |

The Flowchart of ShudhdoJol:

Integrated for Year-Round Water & Engagement-



Key Features / Innovation

© Dual-Source Clean Water Access: Combines desalination and rainwater harvesting with one year-round availability.

56 Off-Grid, Human-Powered Technology: Fedal-powered RO operations without electricity

○ IoT-Enabled Rainwater Management: Megh Tanks monitored with sensors and alerts

Gamified Incentive System – Jol Rewards: Water-saving actions rewarded with redeemable points

Youth-Driven Livelihood Creation: Micro-entrepreneurship for trained youth and women

Scalable, Modular & Circular: Made from recycled bicycles and locally sourced parts

Impact / Relevance

or water-level

D Leak detection

The ShuddhoJol System delivers year-round water security to climate-vulnerable coastal communities by combining pedal-powered desalination with smart rainwater harvesting. Through decentralization and off-grid functionality, it ensures access to safe drinking water even during floods or power outages. The system empowers local youth as "Jol Pilots" and "Water Watchers," creating ownership and encouraging behavioral change via a gamified Jol Rewards Platform. Its modular, low-cost design makes it resilient and scalable across South Asia, adaptable for schools, cyclone shelters, and remote areas. Aligned with the UN SDGs—notably SDG 6 (Clean Water), SDG 13 (Climate Action), SDG 11 (Sustainable Communities), SDG 12 (Responsible Consumption) and SDG 8 (Decent Work)—the project offers an inclusive, innovative solution for water justice and climate resilience.









GreenShield: Smart Tree Zoning for Climate-Resilient Chittagong

"A Nature-based Solution to Urban Salinity, Heat, and Air Pollution"

Presented by BlueRoots.



PROBLEM STATEMENT



Salinity Intrusion

Urban Heat Island (UHI) **Effects** Due to rapid urbanization and LULC change





Air Pollution

CITY-SPECIFIC NEEDS

Requires location-specific adaptation strategies

roadside strips, industrial edges)

Needs low-cost, nature-based solution accessible to local governments

PROPOSED INNOVATIVE SOLUTION: GreenShield

A smart, satellite-based tree recommendation

IDENTIFYING STRESS ZONES UHI Air Pollution Salinity TREE MATCHING Salinity Reducer & Resistant Heat Absorbent **ACTION MAP** Usable GW Health Risk Recommen Available

METHODOLOGY

DATA COLLECTION



TREE SUITABILITY MATRIX BASED PROBLEM ZONE

MAPPING SUITABLE PLANTATION

WEB-BASED INTERFACE FOR **VISUALIZATION & FUTURE EXPANSION**

KEY FEATURES



Data-driven

• Uses free satellite data & GIS



Zone-specific

• Different trees for different



Community & Policy tool

• Easy for city planners and citizens



 Combines technology and ecology

FEASIBILITY & PRACTICALITY

Tech-ready

Uses free satellite tools (GEE), scalable algorithms

Policyaligned Can integrate with urban green masterplans

Low-cost

No high infrastructure investment needed

Communit y-involved

Local participation possible for implementation

SUSTAINABILITY IMPACT

- ☐ Model applicable to other South Asian cities facing salinity, heat, or pollution (e.g., Khulna, Mumbai, Chennai)
- ☐ Creates long-term ecosystem services:
 - Improves urban air & water quality
 - · Reduces soil salinity
 - · Enhances coastal protection

Aligns with SDGs:



SDG 11: Sustainable Cities



SDG 13: Climate Action



SDG 15: Life on Land

SCALABILITY

Model applicable to other South Asian cities facing salinity, heat, or pollution (e.g., Khulna, Mumbai, Chennai)

POTENTIAL OUTCOMES

- Lower soil salinity (in coastal fringe)
- Cooler city through shade and evapotranspiration
- Improved air and water quality
- Resilient green infrastructure for climate adaptation
- Improved livability and climate resilience
- Better urban cooling and biodiversity
- A data-driven policy tool for climate-smart urban greening

Tree Suitability Table Zone Type Issue **Tree Species** Benefit Coastal/ Southwest Salinity Coconut, Sundari Salt-tolerant, erosion control UHI Urban Core Rain Tree, Neem Shade, cooling Industrial Belt Air Pollution Banyan, Neem Air purifier, CO₂ absorption Hillside Erosion Bamboo, Vetiver Slope stabilization

REFERENCES:

- Fig 1- created using ArcGIS by Team BluRoots
- Fig 2- http://dx.doi.org/10.13140/RG.2.2.28090.62405
- Fig 3- https://doi.org/10.1016/j.envc.2021.100107 Fig 4- Live Animated Air Quality Map (AQI, PM2.5...) | IQAir




Project Harvesting Resilience: Climate-Smart Floating Agriculture for Coastal Bangladesh



Problem Statement

- ☐ Over 1.056 million hectares ☐ Rising climate impacts of coastal Bangladesh face salinity intrusion and flooding, rendering traditional agriculture unsustainable(Miah et. al. 2020).
- Bangladesh ranks 7th most climate-vulnerable! (GCRI,
- ☐ By 2050, (Annual Report IWM, 2012)
 - > Aquifer saline zone : 2.27% 1
 - Fresh water zone : 3.44% 』

- threaten rural economies, with \$9 billion in annual losses (Ministry of Forest, **Environment and Climate** Change, 2025)
- ☐ 10 million farmers, including 24% women, lose livelihoods due to crop failures, leading to food insecurity and migration (BRAC, 2025).



Severe salinity zone : Figure 1: Salinity Concentration in Groundwat at the Coastal Part of Bangladesh (BADC, 2011)







Figure 2: Effects of Salinity Intrusion in South West Coastal Belt of Bangladesh.

Proposed Solution

- □ Nature-Based Innovation: Floating agricultural beds made from agro-waste (water hyacinth, jute sticks) and enriched with halophytes, activated carbon, gypsum, and coco peat.
- ☐ Functionality: Enables cultivation of staple crops (rice, wheat) in saline, flood-prone areas, unlike traditional beds limited to vegetables through phytoremediation.
- □ Community-Led: Women micro-entrepreneurs deliver training, consultation, and sales, fostering local ownership and empowerment.




Figure 3: Prototype Model of Harvesting Resilience

Maximum Phyto-desalination capacity of (251.22 kg Na+ ha-1)

✓ Exclusive Raw Materials

Highest sodium adsorption ratio (48%) (M. Islam et al., 2022)

Key Features & Innovation



Figure 4: Innovation Exclusivity of Harvesting Resilience

Results & Discussion

Table 1: Comparison among different agricultural methods with Harvesting

| | Project Harvesting | Traditional | Other Saline- | | |
|------------------------|---|---|---|--|--|
| Category | Resilience | Agriculture | Resistant Methods | | |
| Initial Setup Costs | Higher (due to floating bed construction and salinity management) | Lower (ground-based methods) | Moderate (basic infrastructure) | | |
| Operational Costs | Comparable (low input costs post-setup) | Higher (more fertilizer, water required) | Slightly higher (specific techniques) | | |
| Yield Potential | 30% Higher (larger crops like paddy & wheat) | Moderate (vegetables & small grains) | Variable (depends on salinity solution) | | |
| Flood Resilience | Excellent (flood-resistant floating beds) | Poor (susceptible to waterlogging) | Good (partial protection, not flood- proof) | | |
| Salinity Management | Excellent (halophytes, gypsum, coco peat) | Poor (salinity build-up over time) | Moderate (chemical or bio-based solutions) | | |
| Environment al Impact | Positive (nature-based solutions, minimal degradation) Negative (soil degradation over time) | | Neutral (mixed environmental impact) | | |
| Community Benefits | High (empowerment, training, better economic resilience) | Moderate (traditional knowledge transfer) | Low (limited community engagement) | | |

The Cost-Benefit Ratio (CBR) of Project Harvesting Resilience is 0.12 BDT

Impact & Relevance

- 4x Rise in Women's Visibility in Farming
- Boosted yields & income for 200+ coastal farmers -70% eager to adopt.
- Restores cultivable land, ensures food security.
- Empowers women as micro-entrepreneurs, breaking poverty cycles.
- Scalable for saline, flood-hit regions across South Asia & Africa.
- SDG Alignment :-



Figure 5 :Success Stories of Harvesting Resilience

Reference

Abdullah, N. O., et al. (2022). Effectiveness of coconut shell activated carbon for decreasing water salinity. AIP Conference Proceedings, 2568(1), 020011.
Milah, M. Y., et al. (2020). Impact of salinity intrusion on agriculture of Southwest Bangladesh: A review. International Journal of Agricultural Policy and Research, 8(1), 1-7.
Rezoyana, U., et al. (2023). Impact of salinity: A case study in saline-affected Salkhira District. Open Journal of Social Sciences, 11(5), 288-305.

District. Open Journal of Social Sciences, 11(5), 288-305.
Saha, D., et al. (2016). Evaluation of adaptation practices in the agriculture sector of Bangladesh. Climate, 4(1).
Sultana, F. (2010). Living in hazardous waterscapes. Environmental Hazards, 9(1), 43-53.
Van Schie, D., et al. (2022). Local responses to climate-related non-economic losses and damages. International Institute for Environment and Development.



av Thapa, Ashirwad Raj Jha, Kumar Chaurasiya, Amit Gupta

Nepal &



EcoGrub: Smart BSF Farming A Digital Circular Solution for Kathmandu's Organic Waste

The Challenge

- 1,200 t/day of municipal waste, over 60 % organic, ends up in open landfills.
 Leachate contaminates soil & water; methane emissions accelerate

- Leachaite Contaminates soil & Water; methane emissions accelerate climate change.
 Livestock feed imports (soybean, fishmeal) drive high costs and degrade soils via chemical fertilizers.
 Women, youth & informal waste-collectors lack access to greeneconomy opportunities.

2. Innovative Concept

3. Potential Impacts & Outcomes

- Waste Diverted: 50 % of Kathmandu's organic waste by Year 3
- · Feed Produced: 2,000 t BSF larvae/year
- Fertilizer Generated: 3,000 t frass/year
- Emissions Cut: Equivalent of 1,500 t CO2-eq/yr
- Jobs & Inclusion: ≥ 150 new green-jobs for under-represented groups

4. Market & Recognition

- Global BSF market: 33.3 % CAGR → USD 1.5 b by 2029
- · Nepal Poultry sector: ~NPR 160 b
- · 2nd place, Wageningen Food Systems Innovation Challenge 2024
- · FAO Youth Food Lab, Rome attendee (Oct 2025)



Problems addressed by EcoGrub











Alignment with National Pathway

Action Track 1: Ensuring Safe and Nutritious Food for All

By providing a sustainable, high-protein poultry feed, EcoGrub boosts agricultural productivity and offers a nutritious, affordable diet, contributing to improved nutrition and zero hunger.

Action Track 2: Shifting to Sustainable Consumption Patterns
EcoGrub supports sustainable consumption by converting organic waste into feed, reducing food waste, and promoting a circular economy through eco-friendly practices


Action Track 4: Advancing Equitable Livelihoods

EcoGrub creates jobs and enhances incomes by developing a new value chain in the feed industry, fostering inclusive food systems, and addressing food insecurity through innovation and entrepreneurship.

Activities by EcoGrub



Results from experiment



Impacts of Project



Testimonials



Dev Shrestha

"We observed no negative effect in our poultry farm. Chicken feedging on EcoGrub formulated feed had gained more weight than chicken feeding on normal feed simultaneously."



Kamala Shah

K&K Agroform "We discovered that this product, initially designed for poultry feed, not only enhances poultry growth and health due to its high protein and fat content but also significantly reduces feed costs."



Sanjog Gurung

Gurung Poultry farm

"I have decided to use this product in my own farm. We highly hope that EcoGrub will bring this product in the market vey

Oonincx, D. G. A. B., et al. (2015). "An exploration on greenhouse gas and ammonia production by insect species suitable for animal or human consumption." *PLOS ONE*.

Surendra, K. C., et al. (2016). "Bioconversion of organic wastes into biodiesel and animal feed via insect farming." *Renewable Energy*. van Huis, A. (2013). "Potential of insects as food and feed in assuring food security." *Annual Parismy Chemology*.

van Huis, A. (2013). "Potential of insects as food and feed: Challenges and opportunities." *Animal Review of Entomology*.

Makkar, H. P. S., et al. (2014). "Insects for food and feed: Challenges and opportunities." *Animal Feed Science and Technology*.

Gold, M., et al. (2020). "Bioconversion performance of black soldier fly larvae: A review." *Journal of Insects as Food and Feed*.

Nguyen, T. T. X., et al. (2015). "Insect consumption as a protein source for livestock and humans in Thailand." *Journal of Asia-Pacific Entomology*.

Contact Us for More Information and Collaboration teamecogrub88@gmail.com







https://www.linkedin.com/in/manishchaurasiyaofficial/ https://www.linkedin.com/in/abhinav-thapa-8ab798269/ https://www.linkedin.com/ashirwad-raj-90avuwu7h/

Sowing Resilience in Peri-Urban Salem: Linking Climate-Resilient **Agriculture and Urban Nutrition**

Background of the study:

Peri-urban areas are transitional zones between rural and urban landscapes. In Tamil Nadu, the concept of Composite Local Planning Areas (CLPAs) under the AMRUT 2.0 Master Plan integrates municipalities or municipal corporations with surrounding villages and Nagar Panchayats to promote balanced and inclusive growth. These peri-urban zones exhibit mixed land use, with agriculture often continuing as a dominant economic activity despite urban pressures.

vever, the emergence of climate change, Irregular rainfall patterns, rowever, the emergence of crimate change, progular laminal plateris, prolonged foroughts, and increasing temperatures have led to declining agricultural productivity in these regions. Coupled with this, the over-extraction of groundwater often the primary source of irrigation has resulted in aquifer depletion and soil degradation, further undermining farming sustainability.

As cities expand into rural hinterlands, there is an urgent need to reimagine peri-urban agriculture not only as a livelihood source but also as a critical component of urban resilience, food security, and climate adaptation.

This research situates itself at the intersection of climate adaptation planning and peri-urban development, aiming to explore how sustainable strategies can be integrated into CLPA level planning in Tamil Nadu to support the dual goals of regional growth and environmental sustainability.

Problem Statement

The growing climate change impacts, peri-urban agriculture is increasingly threatened by declining crop productivity, unsustainable groundwater extraction, and a lack of diversified livelihood options, posing significant risks to both environmental sustainability and socio-economic resilience in these transitional zones.

Study area: Salem CLPA

Salem CLPA. The Existing context

Diverse Agricultural Landscape in cropped in

Dominant Crops are Paddy, Maize, Tapioca


The "Urban Area" (grey) is primarily centered around Salem Corporation, with significant agricultural activity surrounding it.

Inferences:

- Economic Reliance on Agriculture. Importance of Tapioca and Sago is
- 3. Food crops like paddy and Cash
- Crops are both equally predominant.

 Agro-Climatic Suitability, imply varying agro climatic conditions (soil types, rainfall, temperature) across the Salem CLPA.

Impact. Aligned with the Global Goals!









There is a need for Solution that offers Inclusive Growth. Enduring

WHOLE GREEN

Existing gaps and situation



In the Salem CLPA the dominant crops cultivated paddy and maize are highly water-intensive, paddy is grown on approximately 33,000 ha, followed by maize on around 24,000 ha. The water consumed by paddy cultivation alone is sufficient to meet the daily water needs of nearly 3 lakh people, which is nearly three times higher than the water requirement for cultivating millets. This highlights a critical opportunity, shifting even half of the paddy cultivation area to millet could free up enough water to meet the daily water. could free up enough water to meet the daily water needs.

2 Groundwater Fluctuation



30% of tested groundwater sources in peri-urban blocks like Omalur, Edappadi, Mecheri, and Kolathur are reported to be saline or alkaline, making them unsuitable for intratation. irrigation, especially for water-intensive crops like paddy or

Groundwater levels sharply decline betweer January and May, primarily due to excessive irrigation withdrawals during summer and port aquifer recharge from erratic rainfall posing long-term risks to agriculture in peri-urban belts.

Average annual groundwater fluctuation in Salem ranges between 2.5 to 7 meters, with the deepest declines in dry-season months especially in agricultural blocks dependent on borewell irrigation like Mecheri and Kolathur.

In peri-urban areas, the rise of urban housing projects and industries is increasing pressure on local aquifers. Combined with climate stress, this leads to lower recharge rates and conflict over water use between domestic and agricultural needs.

3 Summer impacts



Rising summer temperatures (often above 40°C) combined with reduced rainfall (below 700 mm/year) have worsened soil moisture stress and crop wilting especially in perfurban zones like Mecheri, Omalur, and Kolathur.

Dry spells and erratic rainfall have led to failed summer crops like paddy and maize. As a result farmers are switching to climate-resilient millets that require less water and can tolerate heat.

The peri-urban poor farming households are mos affected. Many report says reduced yields, increased input costs, and greater dependence on groundwater, forcing either crop shifts or migration to non-farm labor.

4 Rainfall patterns



Rainfall in Salem is highly erratic, with annual averages falling below 700 mm in many recent years, leading to stress on rainfed agriculture.

The region depends mainly on the North-East Monsoon (Oct-Dec), so any delay or failure during this short window severely affects crop cycles.

Uneven rainfall intensity and short-duration heavy rains reduce percolation, lowering groundwater recharge, especially in peri-urban blocks like Kolathur and Omalur.

Drought-prone zones such as Mecheri and Edappadi face frequent rainfall deficits, with at least 2–3 drought years in a decade, impacting traditional crops.

Proposals / Key solutions:



ole Green 300-400 mm High water consu

1. Millets in Urban School Lunches via Peri-Urban Linkages

Connect peri urban millet farmers directly with urban school mid-day meal programs. This creates a stable demand for climate resilient crops, improves child nutrition, and supports peri-urban livelihoods.



2. Peri-Urban Farms as Carbon Credit Generators for

Turn peri urban farmlands into carbon sinks by promoting sustainable, low-input farming (like millets, agroforestry), and then measure and monetize the carbon they sequester. Cities (especially Smart Cities) can buy these credits as part of



City Adopted Peri-Urban Farms Using Digital Tokens

Each city adopts its surrounding peri-urban region's farms. Citizens or corporations can co-own "shares" in peri-urban farms via digital tokens (blockchain-based, but user-friendly). The returns could be in the form of produce, carbon credits, or even tourism rights.


Impacts of solutions:

How It Works NUTRITION REDUCED GHG FARM LINKS City municipal corporations or education departments commit to sourcing a percentage of mid-day meal grains as millets. Farmers shift from water intensive, chemical-heavy crops to climate-resilient once (e.g., millets, mixed cropping, trees). When trained to supply these in bulk, are detailed and trained to supply these in bulk. where periurba arrays frees). In the control of supply these in but. Millets are introduced into menus in taste friendly ways (upma, dosa, snacks). Nutritional data is tracked to show benefits to children health. Notificinal data is tracked to show benefits to Cilies, corporations, or government bodies children's health. Cilies, corporations, or government bodies buy these carbon credits to offset their emissions creating a new income stream for farmers of tractions creating a new income stream farm-fresh food, carbon neutrality, or wellness experiences. Powerful features Creates demand-side security for milled Links peri-urban agriculture directly to climate finance. Tackles urban malnutrition and obesity with traditional, wholesome foods. Introduces transparency and traceability into the food system. Empowers farmers financially to protect green cover and reduce groundwater use Can bring tech-based startups.

Team Oasis



Moringa: The Green Catalyst Turning Carbon into Cure



Analysis of Anthropogenic Influences on Climate Change: A Case Study of Puri, Odisha



Ajoy Ghosh, Team Name: Ajoy_IITKgp_CC_Puri

Project Introduction

Climate change is a growing global concern, with anthropogenic activities significantly altering environmental patterns. Rapid urbanization, tourism-related activities, and infrastructure expansion contribute to greenhouse gas (GHG) emissions, land-use changes, and resource depletion, exacerbatina climate change impacts. Coastal cities like Puri, Odisha. which attract millions of tourists annually, are particularly vulnerable to these changes. The uncontrolled expansion of tourism infrastructure, vehicular emissions, and rising energy consumption have intensified local climate impacts, including temperature rise, coastal erosion, and air pollution.

Study Area



To analyze the spatial impact of anthropogenic activities on climate change in Puri, Odisha, using geospatial techniques, and to develop sustainable urban planning strategies that mitigate environmental risks.

Need of the Study

- 1. Lack of geospatial analysis on anthropogenic influences.
- 2. Policy gaps overlook tourism's environmental impact.
- 3. Need to integrate geospatial, climatic, and tourism data for pattern analysis.

Objectives



Comprehensive **Emission Analysis:**

Insufficient quantification of emissions from all tourism sub-sectors, including transportation, accommodations, and local tourist especially activities. during peak seasons.



Microclimatic & **Ecosystem Effects:**

Limited research on how tourism alters local climate patterns, such as urban heat islands, and long-term effects on ecosystems like coastal erosion and biodiversity loss.



Geospatial Analysis of Tourism Impacts:


change mitigation.





Policy and Adaptive Strategies:


Utilize advanced geospatial Lack of integration between tools to map and analyze tourism-specific emissions the spatial distribution of and existing climate politourism-related activities, cies, with minimal research their environmental impacts, on effective adaptation stratand contribution to climate egies tailored for tourism-reliant regions.

Microclimate Analysis Using Kestrel 5200 Env. Meter & GIS









Proposal and Recommendations









Field Survey Analysis







Kestrel 5200 Environmental Meter & Software Used

rel 5200 measures temperature, humidity, wind speed, WBGT, helping analyze heat stress, ventilation, and climatic impact



QCIS







Correlation Matrix : (Relationship Between Tourism, Clima Concerns, and Infrastructure Fo

This correlation matrix presents the relationship between various to lated and environmental factors, such as climate change concern, infr structure preparedness, energy consumption of quency, and accommodation preferences.

| | Chinese Charge Street | Berg | Trace Vancous Vancous | Gner. | 250 | | Committee | ne | Server. | Sures Marcuran Translation | Tay French Tempori | Aut. | ever him | 100 |
|--|-----------------------------|--------|-----------------------------|-----------|------|-------|-----------|------|---------|----------------------------------|-----------------------|-------|----------|-----|
| The Person lives in column 1 | | | | | | | | | | | | | 1 | |
| Committee Spring | 128 | | | | | | | | | | | | | |
| Personal Factor | 377 | (also) | | | | | | | | | | | | |
| Manufacture Christian Thomas Manufacture | 4.0 | 1940 | 040 | | | | | | | | | | | |
| | 235 | Set. | 1938 | 24347 | | | | | | | | | | |
| Total dis Dag. | 931 | -412 | 1000 | 9.29 | 630 | | | | | | | | | |
| August . | 3.00 | 44 | 100 | 100 | 48 | Age | | | | | | | | |
| Total Second | 9.0 | ML | CML | 1.0 | 216 | LANC. | _Alt. | _ | | | | | | |
| | 48. | 84 | dem. | 310 | 100 | 1990 | 495 | 8.0 | | | | | | |
| Total Seniors | 211 | 544 | 24 | 98 | 200 | 916 | 998 | All | 536 | | | | | |
| Continue. | 16.04 | 4.0 | 4.0 | District. | 414 | 144 | 0.00 | 440 | 100 | 4.0 | | | | |
| The state of the s | 40 | 4.64 | 4.0 | 9.76 | 100 | 485 | 100 | Attr | 8.02 | Sam. | 20 | | | |
| logic Co. | 450 | 246 | 2.00 | 100 | 636 | ARC | 100 | 640 | 6.70 | 4.00 | 440 | 6.62 | | |
| - | 9.10 | 241 | 100 | 430 | 535 | 946 | -9.41 | MAY | 140 | 13.06 | 446 | 16.21 | 1.00 | |
| Lamber 7 kf av | 400 | 4.00 | 410 | 306 | 4.07 | 144 | 1414 | 4.00 | 400 | 16.00 | 11440 | 3636 | 100 | Cap |

Impact/Relevance

| 1, 144 | Case thully | Hartania | Paining | of Southern | Central | Strange . | States . | Observed Outcomes | Egeral Outcome, in Part |
|--------|----------------------------|----------|---------|-------------|---------|-----------|----------|---------------------------------------|---------------------------------|
| 1 | Minyested, India | 9 | 28 | × | 40 | . X | 28 | Softward hear marriedly continuously. | cases face come, before conduct |
| | Sent toda | ·V | - 1 | × | | | × | James orbito heat, front resilience | Same trees, latter voltage |
| 4 | Sterne, tolks | 0.9 | 29 | | | 1.9 | 7 | Contributionaling and drafts | Manager Stocker and control |
| 4 | Best, total | - 2 | 0.6 | X | 10 | 3.5 | . V | there are making related assessment | And competency, placetyr fire |
| | risebaperore loke | 39 | 7 | * | 10 | 3.8 | 3 | Stack confert, crosel regulation | Degrated beside traction |
| | Anteriori Selectorio | | à | × | Ŕ | 9 | × | National projection | Other Section against Secting |
| 1 | Speciers, Speci | . 9 | 28 | V. | * | | 39 | Color of location, or the frequent. | Lead of the Street of Street |
| | Miles, USA | 1.0 | - 2 | × | 2 | | 1 | represed how requires | National Assistant |
| | Shake Sport | | . 1 | - V | 40 | 17.9 | 1 | Steam autous, lean interpret | Proposition and many officient |
| 100 | Cape Sines. South-Misse | 0 | 19 | × | 8 | 10 | - 3 | - | No arriva star resignation |



Alignment with Sustainable Development Goals

- This study aligns with SDG 13 (Climate Action) by quantifying tourism-relat ed CO₂ emissions and proposing low-carbon solutions
- It supports SDG 11 (Sustainable Cities) through green infrastructure, decentralization, and microclimate-based planning.
- SDG 12 (Responsible Consumption on) is addressed by promoting eco-certified accommodations and energy-efficient mobility.
- Public amenities and heat resilience strategies contribute to SDG 3 (Good alth and Well-he
- · Solar power and energy-saving proposals further align with SDG 7 (Afford-

Conclusion

Tourism and Climate Stress

· Excessive energy consumption from transportation and accommodations significantly contributes to CO2 emissions.

Policy Gaps

- · Existing policies, such as the Heat Action Plan, fail to recognize and address tourism's role in climate change
- . Tourism planning and infrastructure development lack climate resilience

Sustainability Challenges

- · Limited adoption of renewable energy sources in accommodations and public facilities increases tourism's environmental impact.
- · Limited vegetation and inadequate ventilation in dense tourist zones in crease heat retention and thermal discomfort.

 Hugng, T., & Tang, Z. (2021). Estimation of tourism carbon footpure and carbon capacity. Int Law-Carbon Technologies, 16(3), 1040–1046. https://doi.org/10.1093/s/ct/ctab026 Transport-related CO2 emissions of the tourism sector – Modelling moults. (2019). https://doi.org/10.18111/9789284416660 Hall, C. M. (2008). Tourism and climate change: knowledge gaps and issues. Tourism Recreation Res 339-350. https://doi.org/10.1080/02508281.2008.11081557 Change, N. I. P. O. C. (2023). Climate Change 2022 — Impacts, adoptation and vulnerability. https://doi.org/10.1017/9781009325844 « filho, W. L., Ng, A. W., Sharifi, A., Janova, J., Özuyar, P. G., Hemeni, C., Heyes, G., Njau, D., & Rompasso, I. (2022).
 Global Svuriani, climate change and energy sustainability assessing carbon reduction mitigating measures from the aviation industry. Sustainability Science. 18(2), 983–996. https://doi.org/10.1007/s1.11625/922-0125-01.



Smart Soil Health Blanket

A Climate-Resilient Agro-Textile Innovation for Urban and Peri-Urban Farming




Problem Statement:

Over 30,000 tonnes of plastic mulch are used yearly in South Asia alone, covering millions of hectares worldwide [Kasirajan & Ngouajio, 2012]. The absence of biodegradable substitutes in Bangladesh results in costly removal procedures and long-term soil damage. Agro-fibers like water hyacinth and jute, which are underutilised, may hold the secret to more environmentally friendly farming.

Methods:

- 1. Fiber Collection (Jute/rice straw/Water Hyacinth)
- 2. Nonwoven Preparation (Needle punching / air-laid)
- 3. Binder Coating (PLA or starch)
- 4. Drying & Cutting



RESULTS & DISCUSSION:

- Retains soil moisture 30–35% longer than plastic mulch (simulated trials).
- Fully decomposes in 6–10 months, enriching soil organically.



- Made from agro-waste: jute, banana fiber, rice straw, water hyacinth.
- Production cost: affordable and accessible.
- Cottage-industry ready supports rural employment and women/youth empowerment.
- Scalable for rooftop gardens, nurseries, and rice fields.
- Reduces plastic pollution and aligns with SDGs:













• Future upgrades: moisture sensor integration & slow-release fertilizer concept.

References:

- 1. Kasirajan & Ngouajio, Agron. Sustain. Dev., 2012
- 2. Sintim & Flury, Environ. Sci. Technol., 2017
- 3. Liu et al., Waste Manag., 2021
- 4. Sangamithirai & Vasugi, J. Appl. Hortic., 2020
- 5. de Sadeleer & Woodhouse, Int. J. Life Cycle Assess., 2023
- 6. FAO, Agroecology & Climate, 2021



Conclusion:

The Smart Soil Health Blanket offers a climate-smart alternative to plastic mulch, rooted in local materials and circular design. It addresses both environmental pollution and resource equity, especially in underfunded farming regions. Early-stage trials suggest a 15–18% increase in soil microbial activity. With further R&D and field validation, this innovation could reshape Bangladesh's sustainable farming toolkit.

Team: Zero-waste Growers





Digital Edition on the Website

Contact us

South Asia Secretariat

C-3 Lower Ground Floor, Green Park Extension New Delhi 110 016

India

) +91-11-4974 7200

Connect with us

- ☑ iclei-southasia@iclei.org
- * www.southasia.iclei.org
- **n** talkofthecities.iclei.org